



ELECTROSURGICAL INSTRUMENTS

GLORIOUS ENTERPRISES

The background is a solid red color. It features several overlapping, semi-transparent geometric shapes, primarily triangles and quadrilaterals, in various shades of red and dark red. A network of small black dots is connected by thin black lines, forming a complex web-like structure that spans across the lower and middle portions of the image. The text 'GLORIOUS ENTERPRISES' is centered in the upper-middle part of the image.


GLORIOUS ENTERPRISES

CONTENTS

Bipolar Forceps	04 - 22
Standard	05 - 13
Non Stick	14 - 22
<hr/>	
Monopolar Forceps	23 - 25
<hr/>	
Cables	26 - 27
<hr/>	
Electrosurgical Pencil	28 - 30
Handswitching	29
Footswitching	30
<hr/>	
Electrodes	31 - 38
Standard	32 - 35
Non Stick	36 - 38
<hr/>	
Colposcopy Loops	39 - 41
<hr/>	
Bipolar Electrodes	42 - 43
<hr/>	
Laparoscopic Electrodes	44 - 46
<hr/>	
Endo Hooks	47 - 49
Hand control	48
Foot control	49
<hr/>	
Speculums	50 - 52

BIPOLAR FORCEPS


**STANDARD
NON STICK
IRRIGATING
NON STICK IRRIGATING**



- Single use Forceps designed to meet the safety standards in operating theaters and safety standards
- Tips stay aligned fatigue free
- A new instrument for each procedure
- Lightweight easy to handle
- Excellent grip due to non slip design
- Cost effective No re sterilization
- Available in Non stick Tips


McPherson, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-005-10050	110-004-10050	0.5mm	4" or 10.2 cm




McPherson, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
110-015-10050	110-014-10050	0.5mm	4" or 10.2 cm




Jeweler No.5, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-025-11050	110-024-11050	0.5mm	4 1/2" or 11.4 cm




Jeweler No.5, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
110-035-11050	110-034-11050	0.5mm	4 1/2" or 11.4 cm




Jeweler No.7, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-045-11050	110-044-11050	0.5mm	4 ½" or 11.2 cm




Adson

With Cable		Without Cable	
Code	Code	Tip	Length
110-055-13050	110-054-13050	0.5mm	4 ¾" or 12.1 cm
110-055-13100	110-054-13100	1.0mm	4 ¾" or 12.1 cm




Straight


With Cable		Without Cable	
Code	Code	Tip	Length
110-065-15050	110-064-15050	0.5mm	6" or 15.2 cm
110-065-15100	110-064-15100	1.0mm	6" or 15.2 cm
110-065-15150	110-064-15150	1.5mm	6" or 15.2 cm
110-065-15200	110-064-15200	2.0mm	6" or 15.2 cm
110-065-17050	110-064-17050	0.5mm	6 ½" or 16.5 cm
110-065-17100	110-064-17100	1.0mm	6 ½" or 16.5 cm
110-065-17150	110-064-17150	1.5mm	6 ½" or 16.5 cm
110-065-17200	110-064-17200	2.0mm	6 ½" or 16.5 cm



Straight


With Cable		Without Cable	
Code	Code	Tip	Length
110-065-18050	110-064-18050	0.5mm	7" or 17.8 cm
110-065-18100	110-064-18100	1.0mm	7" or 17.8 cm
110-065-18150	110-064-18150	1.5mm	7" or 17.8 cm
110-065-18200	110-064-18200	2.0mm	7" or 17.8 cm
110-065-20050	110-064-20050	0.5mm	7 ¼" or 19.7 cm
110-065-20100	110-064-20100	1.0mm	7 ¼" or 19.7 cm
110-065-20150	110-064-20150	1.5mm	7 ¼" or 19.7 cm
110-065-20200	110-064-20200	2.0mm	7 ¼" or 19.7 cm
110-065-21050	110-064-21050	0.5mm	8 ¼" or 21 cm
110-065-21100	110-064-21100	1.0mm	8 ¼" or 21 cm
110-065-21150	110-064-21150	1.5mm	8 ¼" or 21 cm
110-065-21200	110-064-21200	2.0mm	8 ¼" or 21 cm






Straight, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
110-075-15050	110-074-15050	0.5mm	6" or 15.2 cm
110-075-15100	110-074-15100	1.0mm	6" or 15.2 cm
110-075-15150	110-074-15150	1.5mm	6" or 15.2 cm
110-075-15200	110-074-15200	2.0mm	6" or 15.2 cm
110-075-17050	110-074-17050	0.5mm	6 1/2" or 16.5 cm
110-075-17100	110-074-17100	1.0mm	6 1/2" or 16.5 cm
110-075-17150	110-074-17150	1.5mm	6 1/2" or 16.5 cm
110-075-17200	110-074-17200	2.0mm	6 1/2" or 16.5 cm




Straight, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
110-075-18050	110-074-18050	0.5mm	7" or 17.8 cm
110-075-18100	110-074-18100	1.0mm	7" or 17.8 cm
110-075-18150	110-074-18150	1.5mm	7" or 17.8 cm
110-075-18200	110-074-18200	2.0mm	7" or 17.8 cm
110-075-20050	110-074-20050	0.5mm	7 1/4" or 19.7 cm
110-075-20100	110-074-20100	1.0mm	7 1/4" or 19.7 cm
110-075-20150	110-074-20150	1.5mm	7 1/4" or 19.7 cm
110-075-20200	110-074-20200	2.0mm	7 1/4" or 19.7 cm
110-075-21050	110-074-21050	0.5mm	8 1/4" or 21 cm
110-075-21100	110-074-21100	1.0mm	8 1/4" or 21 cm
110-075-21150	110-074-21150	1.5mm	8 1/4" or 21 cm
110-075-21200	110-074-21200	2.0mm	8 1/4" or 21 cm




Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
110-085-15050	110-084-15050	0.5mm	6" or 15.2 cm
110-085-15100	110-084-15100	1.0mm	6" or 15.2 cm
110-085-15150	110-084-15150	1.5mm	6" or 15.2 cm
110-085-15200	110-084-15200	2.0mm	6" or 15.2 cm
110-085-17050	110-084-17050	0.5mm	6 1/2" or 16.5 cm
110-085-17100	110-084-17100	1.0mm	6 1/2" or 16.5 cm
110-085-17150	110-084-17150	1.5mm	6 1/2" or 16.5 cm
110-085-17200	110-084-17200	2.0mm	6 1/2" or 16.5 cm




Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
110-085-18050	110-084-18050	0.5mm	7" or 17.8 cm
110-085-18100	110-084-18100	1.0mm	7" or 17.8 cm
110-085-18150	110-084-18150	1.5mm	7" or 17.8 cm
110-085-18200	110-084-18200	2.0mm	7" or 17.8 cm
110-085-20050	110-084-20050	0.5mm	8" or 20.3 cm
110-085-20100	110-084-20100	1.0mm	8" or 20.3 cm
110-085-20150	110-084-20150	1.5mm	8" or 20.3 cm
110-085-20200	110-084-20200	2.0mm	8" or 20.3 cm




Bayonet, Angled Up

With Cable	Without Cable	Tip	Length
Code	Code		
110-095-15050	110-094-15050	0.5mm	6" or 15.2 cm
110-095-15100	110-094-15100	1.0mm	6" or 15.2 cm
110-095-15150	110-094-15150	1.5mm	6" or 15.2 cm
110-095-15200	110-094-15200	2.0mm	6" or 15.2 cm
110-095-17050	110-094-17050	0.5mm	6 1/2" or 16.5 cm
110-095-17100	110-094-17100	1.0mm	6 1/2" or 16.5 cm
110-095-17150	110-094-17150	1.5mm	6 1/2" or 16.5 cm
110-095-17200	110-094-17200	2.0mm	6 1/2" or 16.5 cm




Bayonet, Angled Up

With Cable	Without Cable	Tip	Length
Code	Code		
110-095-18050	110-094-18050	0.5mm	7" or 17.8 cm
110-095-18100	110-094-18100	1.0mm	7" or 17.8 cm
110-095-18150	110-094-18150	1.5mm	7" or 17.8 cm
110-095-18200	110-094-18200	2.0mm	7" or 17.8 cm
110-095-20050	110-094-20050	0.5mm	8" or 20.3 cm
110-095-20100	110-094-20100	1.0mm	8" or 20.3 cm
110-095-20150	110-094-20150	1.5mm	8" or 20.3 cm
110-095-20200	110-094-20200	2.0mm	8" or 20.3 cm



Bayonet, Angled Down

With Cable	Without Cable	Tip	Length
Code	Code		
110-105-15050	110-104-15050	0.5mm	6" or 15.2 cm
110-105-15100	110-104-15100	1.0mm	6" or 15.2 cm
110-105-15150	110-104-15150	1.5mm	6" or 15.2 cm
110-105-15200	110-104-15200	2.0mm	6" or 15.2 cm
110-105-17050	110-104-17050	0.5mm	6 1/2" or 16.5 cm
110-105-17100	110-104-17100	1.0mm	6 1/2" or 16.5 cm
110-105-17150	110-104-17150	1.5mm	6 1/2" or 16.5 cm
110-105-17200	110-104-17200	2.0mm	6 1/2" or 16.5 cm




Bayonet, Angled Down

With Cable	Without Cable	Tip	Length
Code	Code		
110-105-18050	110-104-18050	0.5mm	7" or 17.8 cm
110-105-18100	110-104-18100	1.0mm	7" or 17.8 cm
110-105-18150	110-104-18150	1.5mm	7" or 17.8 cm
110-105-18200	110-104-18200	2.0mm	7" or 17.8 cm
110-105-20050	110-104-20050	0.5mm	8" or 20.3 cm
110-105-20100	110-104-20100	1.0mm	8" or 20.3 cm
110-105-20150	110-104-20150	1.5mm	8" or 20.3 cm
110-105-20200	110-104-20200	2.0mm	8" or 20.3 cm


McPherson, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
100-005-09050	100-004-09050	0.5mm	3 1/2" or 8.9 cm




McPherson, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-015-09050	100-014-09050	0.5mm	3 1/2" or 8.9 cm




Iris, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
100-045-11050	100-044-11050	0.5mm	4 1/4" or 10.8 cm
100-045-11100	100-044-11100	1.0mm	4 1/4" or 10.8 cm




Iris, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-055-11050	100-054-11050	0.5mm	4 1/4" or 10.8 cm
100-055-11100	100-054-11100	1.0mm	4 1/4" or 10.8 cm




Jeweler No.4

With Cable		Without Cable	
Code	Code	Tip	Length
100-075-11050	100-074-11050	0.5mm	4 1/2" or 11.4 cm




Jeweler No.5

With Cable		Without Cable	
Code	Code	Tip	Length
100-085-11050	100-084-11050	0.5mm	4 1/2" or 11.4 cm




Jeweler No.5, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-285-11050	100-284-11050	0.5mm	4 1/2" or 11.4 cm




Jeweler No.7

With Cable		Without Cable	
Code	Code	Tip	Length
100-095-11050	100-094-11050	0.5mm	4 1/2" or 11.4 cm




Adson

With Cable		Without Cable	
Code	Code	Tip	Length
100-105-12050	100-104-12050	0.5mm	4 ¼" or 12.1 cm
100-105-12100	100-104-12100	1.0mm	4 ¼" or 12.1 cm
100-115-13050	100-114-13050	0.5mm	5" or 12.7 cm
100-115-13100	100-114-13100	1.0mm	5" or 12.7 cm




SEMKIN

With Cable		Without Cable	
Code	Code	Tip	Length
100-125-14050	100-124-14050	0.5mm	5 ½" or 14 cm
100-125-14100	100-124-14100	1.0mm	5 ½" or 14 cm




CUSHING


With Cable		Without Cable	
Code	Code	Tip	Length
100-135-16100	100-134-16100	1.0mm	6 ¼" or 15.9 cm
100-135-16150	100-134-16150	1.5mm	6 ¼" or 15.9 cm
100-135-18100	100-134-18100	1.0mm	7" or 17.8 cm
100-135-18150	100-134-18150	1.5mm	7" or 17.8 cm
100-135-18200	100-134-18200	2.0mm	7" or 17.8 cm



Gerald


With Cable		Without Cable	
Code	Code	Tip	Length
100-155-18100	100-154-18100	1.0mm	7" or 17.8 cm
100-155-18150	100-154-18150	1.5mm	7" or 17.8 cm






Gerald, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100-165-18100	100-164-18100	1.0mm	7" or 17.8 cm
100-165-18150	100-164-18150	1.5mm	7" or 17.8 cm




Gerald Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100-175-18100	100-174-18100	1.0mm	7 1/4" or 18.4 cm
100-175-18150	100-174-18150	1.5mm	7 1/4" or 18.4 cm
100-175-20100	100-174-20100	1.0mm	8" or 20.3 cm
100-175-20150	100-174-20150	1.5mm	8" or 20.3 cm




Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100-185-15050	100-184-15050	0.5mm	6" or 15.2 cm
100-185-15100	100-184-15100	1.0mm	6" or 15.2 cm
100-185-15150	100-184-15150	1.5mm	6" or 15.2 cm
100-185-17050	100-184-17050	0.5mm	6 1/2" or 16.5 cm
100-185-17100	100-184-17100	1.0mm	6 1/2" or 16.5 cm
100-185-17150	100-184-17150	1.5mm	6 1/2" or 16.5 cm
100-185-18050	100-184-18050	0.5mm	7" or 17.8 cm
100-185-18100	100-184-18100	1.0mm	7" or 17.8 cm
100-185-18150	100-184-18150	1.5mm	7" or 17.8 cm



Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100-185-19050	100-184-19050	0.5mm	7 ½" or 19.1 cm
100-185-19100	100-184-19100	1.0mm	7 ½" or 19.1 cm
100-185-19150	100-184-19150	1.5mm	7 ½" or 19.1 cm
100-185-19200	100-184-19200	2.0mm	7 ½" or 19.1 cm
100-185-20100	100-184-20100	1.0mm	8" or 20.3 cm
100-185-20150	100-184-20150	1.5mm	8" or 20.3 cm
100-185-20200	100-184-20200	2.0mm	8" or 20.3 cm
100-185-22100	100-184-22100	1.0mm	8 ½" or 21.6 cm
100-185-22150	100-184-22150	1.5mm	8 ½" or 21.6 cm
100-185-22200	100-184-22200	2.0mm	8 ½" or 21.6 cm
100-185-22250	100-184-22250	2.5mm	8 ½" or 21.6 cm



Jansen Bayonet, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
100-195-17100	100-194-17100	1.0mm	6 ½" or 16.5 cm
100-195-17150	100-194-17150	1.5mm	6 ½" or 16.5 cm
100-195-18100	100-194-18100	1.0mm	7" or 17.8 cm
100-195-18150	100-194-18150	1.5mm	7" or 17.8 cm
100-195-19100	100-194-19100	1.0mm	7 ½" or 19.1 cm
100-195-19150	100-194-19150	1.5mm	7 ½" or 19.1 cm
100-195-20100	100-194-20100	1.0mm	8" or 20.3 cm
100-195-20150	100-194-20150	1.5mm	8" or 20.3 cm
100-195-22100	100-194-22100	1.0mm	8 ½" or 21.6 cm
100-195-22150	100-194-22150	1.5mm	8 ½" or 21.6 cm

McPherson, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-005-10050NS	110-004-10050NS	0.5mm	4" or 10.2 cm



McPherson, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
110-015-10050NS	110-014-10050NS	0.5mm	4" or 10.2 cm




Jeweler No.5, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-025-11050NS	110-024-11050NS	0.5mm	4 1/2" or 11.4 cm



Jeweler No.5, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
110-035-11050NS	110-034-11050NS	0.5mm	4 1/2" or 11.4 cm



Jeweler No.7, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-045-11050NS	110-044-11050NS	0.5mm	4 1/2" or 11.2 cm




Adson

With Cable		Without Cable	
Code	Code	Tip	Length
110-055-13050NS	110-054-13050NS	0.5mm	4 1/4" or 12.1 cm
110-055-13100NS	110-054-13100NS	1.0mm	4 1/4" or 12.1 cm




Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-065-15050NS	110-064-15050NS	0.5mm	6" or 15.2 cm
110-065-15100NS	110-064-15100NS	1.0mm	6" or 15.2 cm
110-065-15150NS	110-064-15150NS	1.5mm	6" or 15.2 cm
110-065-15200NS	110-064-15200NS	2.0mm	6" or 15.2 cm
110-065-17050NS	110-064-17050NS	0.5mm	6 1/2" or 16.5 cm
110-065-17100NS	110-064-17100NS	1.0mm	6 1/2" or 16.5 cm
110-065-17150NS	110-064-17150NS	1.5mm	6 1/2" or 16.5 cm
110-065-17200NS	110-064-17200NS	2.0mm	6 1/2" or 16.5 cm




Straight

With Cable		Without Cable	
Code	Code	Tip	Length
110-065-18050NS	110-064-18050NS	0.5mm	7" or 17.8 cm
110-065-18100NS	110-064-18100NS	1.0mm	7" or 17.8 cm
110-065-18150NS	110-064-18150NS	1.5mm	7" or 17.8 cm
110-065-18200NS	110-064-18200NS	2.0mm	7" or 17.8 cm
110-065-20050NS	110-064-20050NS	0.5mm	7 1/4" or 19.7 cm
110-065-20100NS	110-064-20100NS	1.0mm	7 1/4" or 19.7 cm
110-065-20150NS	110-064-20150NS	1.5mm	7 1/4" or 19.7 cm
110-065-20200NS	110-064-20200NS	2.0mm	7 1/4" or 19.7 cm
110-065-21050NS	110-064-21050NS	0.5mm	8 1/4" or 21 cm
110-065-21100NS	110-064-21100NS	1.0mm	8 1/4" or 21 cm
110-065-21150NS	110-064-21150NS	1.5mm	8 1/4" or 21 cm
110-065-21200NS	110-064-21200NS	2.0mm	8 1/4" or 21 cm



Straight, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
110-075-15050NS	110-074-15050NS	0.5mm	6" or 15.2 cm
110-075-15100NS	110-074-15100NS	1.0mm	6" or 15.2 cm
110-075-15150NS	110-074-15150NS	1.5mm	6" or 15.2 cm
110-075-15200NS	110-074-15200NS	2.0mm	6" or 15.2 cm
110-075-17050NS	110-074-17050NS	0.5mm	6 ½" or 16.5 cm
110-075-17100NS	110-074-17100NS	1.0mm	6 ½" or 16.5 cm
110-075-17150NS	110-074-17150NS	1.5mm	6 ½" or 16.5 cm
110-075-17200NS	110-074-17200NS	2.0mm	6 ½" or 16.5 cm




Straight, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
110-075-18050NS	110-074-18050NS	0.5mm	7" or 17.8 cm
110-075-18100NS	110-074-18100NS	1.0mm	7" or 17.8 cm
110-075-18150NS	110-074-18150NS	1.5mm	7" or 17.8 cm
110-075-18200NS	110-074-18200NS	2.0mm	7" or 17.8 cm
110-075-20050NS	110-074-20050NS	0.5mm	7 ¼" or 19.7 cm
110-075-20100NS	110-074-20100NS	1.0mm	7 ¼" or 19.7 cm
110-075-20150NS	110-074-20150NS	1.5mm	7 ¼" or 19.7 cm
110-075-20200NS	110-074-20200NS	2.0mm	7 ¼" or 19.7 cm
110-075-21050NS	110-074-21050NS	0.5mm	8 ¼" or 21 cm
110-075-21100NS	110-074-21100NS	1.0mm	8 ¼" or 21 cm
110-075-21150NS	110-074-21150NS	1.5mm	8 ¼" or 21 cm
110-075-21200NS	110-074-21200NS	2.0mm	8 ¼" or 21 cm




Bayonet


With Cable		Without Cable	
Code	Code	Tip	Length
110-085-15050NS	110-084-15050NS	0.5mm	6" or 15.2 cm
110-085-15100NS	110-084-15100NS	1.0mm	6" or 15.2 cm
110-085-15150NS	110-084-15150NS	1.5mm	6" or 15.2 cm
110-085-15200NS	110-084-15200NS	2.0mm	6" or 15.2 cm
110-085-17050NS	110-084-17050NS	0.5mm	6 ½" or 16.5 cm
110-085-17100NS	110-084-17100NS	1.0mm	6 ½" or 16.5 cm
110-085-17150NS	110-084-17150NS	1.5mm	6 ½" or 16.5 cm
110-085-17200NS	110-084-17200NS	2.0mm	6 ½" or 16.5 cm



Bayonet


With Cable		Without Cable	
Code	Code	Tip	Length
110-085-18050NS	110-084-18050NS	0.5mm	7" or 17.8 cm
110-085-18100NS	110-084-18100NS	1.0mm	7" or 17.8 cm
110-085-18150NS	110-084-18150NS	1.5mm	7" or 17.8 cm
110-085-18200NS	110-084-18200NS	2.0mm	7" or 17.8 cm
110-085-20050NS	110-084-20050NS	0.5mm	8" or 20.3 cm
110-085-20100NS	110-084-20100NS	1.0mm	8" or 20.3 cm
110-085-20150NS	110-084-20150NS	1.5mm	8" or 20.3 cm
110-085-20200NS	110-084-20200NS	2.0mm	8" or 20.3 cm






Bayonet, Angled Up

With Cable		Without Cable	
Code	Code	Tip	Length
110-095-15050NS	110-094-15050NS	0.5mm	6" or 15.2 cm
110-095-15100NS	110-094-15100NS	1.0mm	6" or 15.2 cm
110-095-15150NS	110-094-15150NS	1.5mm	6" or 15.2 cm
110-095-15200NS	110-094-15200NS	2.0mm	6" or 15.2 cm
110-095-17050NS	110-094-17050NS	0.5mm	6 1/2" or 16.5 cm
110-095-17100NS	110-094-17100NS	1.0mm	6 1/2" or 16.5 cm
110-095-17150NS	110-094-17150NS	1.5mm	6 1/2" or 16.5 cm
110-095-17200NS	110-094-17200NS	2.0mm	6 1/2" or 16.5 cm




Bayonet, Angled Up

With Cable		Without Cable	
Code	Code	Tip	Length
110-095-18050NS	110-094-18050NS	0.5mm	7" or 17.8 cm
110-095-18100NS	110-094-18100NS	1.0mm	7" or 17.8 cm
110-095-18150NS	110-094-18150NS	1.5mm	7" or 17.8 cm
110-095-18200NS	110-094-18200NS	2.0mm	7" or 17.8 cm
110-095-20050NS	110-094-20050NS	0.5mm	8" or 20.3 cm
110-095-20100NS	110-094-20100NS	1.0mm	8" or 20.3 cm
110-095-20150NS	110-094-20150NS	1.5mm	8" or 20.3 cm
110-095-20200NS	110-094-20200NS	2.0mm	8" or 20.3 cm



Bayonet, Angled Down

With Cable		Without Cable	
Code	Code	Tip	Length
110-105-15050NS	110-104-15050NS	0.5mm	6" or 15.2 cm
110-105-15100NS	110-104-15100NS	1.0mm	6" or 15.2 cm
110-105-15150NS	110-104-15150NS	1.5mm	6" or 15.2 cm
110-105-15200NS	110-104-15200NS	2.0mm	6" or 15.2 cm
110-105-17050NS	110-104-17050NS	0.5mm	6 1/2" or 16.5 cm
110-105-17100NS	110-104-17100NS	1.0mm	6 1/2" or 16.5 cm
110-105-17150NS	110-104-17150NS	1.5mm	6 1/2" or 16.5 cm
110-105-17200NS	110-104-17200NS	2.0mm	6 1/2" or 16.5 cm



Bayonet, Angled Down

With Cable		Without Cable	
Code	Code	Tip	Length
110-105-18050NS	110-104-18050NS	0.5mm	7" or 17.8 cm
110-105-18100NS	110-104-18100NS	1.0mm	7" or 17.8 cm
110-105-18150NS	110-104-18150NS	1.5mm	7" or 17.8 cm
110-105-18200NS	110-104-18200NS	2.0mm	7" or 17.8 cm
110-105-20050NS	110-104-20050NS	0.5mm	8" or 20.3 cm
110-105-20100NS	110-104-20100NS	1.0mm	8" or 20.3 cm
110-105-20150NS	110-104-20150NS	1.5mm	8" or 20.3 cm
110-105-20200NS	110-104-20200NS	2.0mm	8" or 20.3 cm


McPherson, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-005-09050NS	100NS-004-09050NS	0.5mm	3 1/2" or 8.9 cm




McPherson, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-015-09050NS	100NS-014-09050NS	0.5mm	3 1/2" or 8.9 cm




Iris, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-045-11050NS	100NS-044-11050NS	0.5mm	4 1/4" or 10.8 cm
100NS-045-11100NS	100NS-044-11100NS	1.0mm	4 1/4" or 10.8 cm




Iris, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-055-11050NS	100NS-054-11050NS	0.5mm	4 1/4" or 10.8 cm
100NS-055-11100NS	100NS-054-11100NS	1.0mm	4 1/4" or 10.8 cm




Jeweler No.4

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-075-11050NS	100NS-074-11050NS	0.5mm	4 ½" or 11.4 cm




Jeweler No.5

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-085-11050NS	100NS-084-11050NS	0.5mm	4 ½" or 11.4 cm




Jeweler No.5, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-285-11050NS	100NS-284-11050NS	0.5mm	4 ½" or 11.4 cm




Jeweler No.7

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-095-11050NS	100NS-094-11050NS	0.5mm	4 ½" or 11.4 cm




Adson

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-105-12050NS	100NS-104-12050NS	0.5mm	4 ¼" or 12.1 cm
100NS-105-12100NS	100NS-104-12100NS	1.0mm	4 ¼" or 12.1 cm
100NS-115-13050NS	100NS-114-13050NS	0.5mm	5" or 12.7 cm
100NS-115-13100NS	100NS-114-13100NS	1.0mm	5" or 12.7 cm




SEMKIN

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-125-14050NS	100NS-124-14050NS	0.5mm	5 ½" or 14 cm
100NS-125-14100NS	100NS-124-14100NS	1.0mm	5 ½" or 14 cm



CUSHING

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-135-16100NS	100NS-134-16100NS	1.0mm	6 ¼" or 15.9 cm
100NS-135-16150NS	100NS-134-16150NS	1.5mm	6 ¼" or 15.9 cm
100NS-135-18100NS	100NS-134-18100NS	1.0mm	7" or 17.8 cm
100NS-135-18150NS	100NS-134-18150NS	1.5mm	7" or 17.8 cm
100NS-135-18200NS	100NS-134-18200NS	2.0mm	7" or 17.8 cm



Gerald

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-155-18100NS	100NS-154-18100NS	1.0mm	7" or 17.8 cm
100NS-155-18150NS	100NS-154-18150NS	1.5mm	7" or 17.8 cm





Gerald, Curved

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-165-18100NS	100NS-164-18100NS	1.0mm	7" or 17.8 cm
100NS-165-18150NS	100NS-164-18150NS	1.5mm	7" or 17.8 cm



Gerald Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-175-18100NS	100NS-174-18100NS	1.0mm	7 1/4" or 18.4 cm
100NS-175-18150NS	100NS-174-18150NS	1.5mm	7 1/4" or 18.4 cm
100NS-175-20100NS	100NS-174-20100NS	1.0mm	8" or 20.3 cm
100NS-175-20150NS	100NS-174-20150NS	1.5mm	8" or 20.3 cm



Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-185-15050NS	100NS-184-15050NS	0.5mm	6" or 15.2 cm
100NS-185-15100NS	100NS-184-15100NS	1.0mm	6" or 15.2 cm
100NS-185-15150NS	100NS-184-15150NS	1.5mm	6" or 15.2 cm
100NS-185-17050NS	100NS-184-17050NS	0.5mm	6 1/2" or 16.5 cm
100NS-185-17100NS	100NS-184-17100NS	1.0mm	6 1/2" or 16.5 cm
100NS-185-17150NS	100NS-184-17150NS	1.5mm	6 1/2" or 16.5 cm
100NS-185-18050NS	100NS-184-18050NS	0.5mm	7" or 17.8 cm
100NS-185-18100NS	100NS-184-18100NS	1.0mm	7" or 17.8 cm
100NS-185-18150NS	100NS-184-18150NS	1.5mm	7" or 17.8 cm


Jansen Bayonet


With Cable		Without Cable	
Code	Code	Tip	Length
100NS-185-19050NS	100NS-184-19050NS	0.5mm	7 ½" or 19.1 cm
100NS-185-19100NS	100NS-184-19100NS	1.0mm	7 ½" or 19.1 cm
100NS-185-19150NS	100NS-184-19150NS	1.5mm	7 ½" or 19.1 cm
100NS-185-19200NS	100NS-184-19200NS	2.0mm	7 ½" or 19.1 cm
100NS-185-20100NS	100NS-184-20100NS	1.0mm	8" or 20.3 cm
100NS-185-20150NS	100NS-184-20150NS	1.5mm	8" or 20.3 cm
100NS-185-20200NS	100NS-184-20200NS	2.0mm	8" or 20.3 cm
100NS-185-22100NS	100NS-184-22100NS	1.0mm	8 ½" or 21.6 cm
100NS-185-22150NS	100NS-184-22150NS	1.5mm	8 ½" or 21.6 cm
100NS-185-22200NS	100NS-184-22200NS	2.0mm	8 ½" or 21.6 cm
100NS-185-22250NS	100NS-184-22250NS	2.5mm	8 ½" or 21.6 cm



Jansen Bayonet, Angled

With Cable		Without Cable	
Code	Code	Tip	Length
100NS-195-17100NS	100NS-194-17100NS	1.0mm	6 ½" or 16.5 cm
100NS-195-17150NS	100NS-194-17150NS	1.5mm	6 ½" or 16.5 cm
100NS-195-18100NS	100NS-194-18100NS	1.0mm	7" or 17.8 cm
100NS-195-18150NS	100NS-194-18150NS	1.5mm	7" or 17.8 cm
100NS-195-19100NS	100NS-194-19100NS	1.0mm	7 ½" or 19.1 cm
100NS-195-19150NS	100NS-194-19150NS	1.5mm	7 ½" or 19.1 cm
100NS-195-20100NS	100NS-194-20100NS	1.0mm	8" or 20.3 cm
100NS-195-20150NS	100NS-194-20150NS	1.5mm	8" or 20.3 cm
100NS-195-22100NS	100NS-194-22100NS	1.0mm	8 ½" or 21.6 cm
100NS-195-22150NS	100NS-194-22150NS	1.5mm	8 ½" or 21.6 cm





- Monopolar Forceps proven to be an excellent invention in a number of surgical applications
- Used in Monopolar coagulation of soft tissue and tubular structures
- Ergonomic design ensures ease of use during long surgical procedures
- Each forcep is nylon coated to provide maximum protection against electrical shocks
- Available in fine and standard Tips size and shapes




Jeweler No.5, Straight

With Cable		Without Cable	
Code	Code	Tip	Length
150-015-11050	150-014-11050	0.5mm	4 ½" or 11.4 cm




Adson

With Cable		Without Cable	
Code	Code	Tip	Length
150-035-13100	150-034-13100	1.0mm	5" or 12.7 cm



Potts-Smith

With Cable		Without Cable	
Code	Code	Tip	Length
150-045-18200	150-044-18200	2.0mm	7" or 17.8 cm
150-045-20100	150-044-20100	1.0mm	8" or 20.3 cm
150-045-20150	150-044-20150	1.5mm	8" or 20.3 cm
150-045-20200	150-044-20200	2.0mm	8" or 20.3 cm
150-045-22100	150-044-22100	1.0mm	8 ½" or 21.6 cm
150-045-22150	150-044-22150	1.5mm	8 ½" or 21.6 cm
150-045-22200	150-044-22200	2.0mm	8 ½" or 21.6 cm
150-045-24100	150-044-24100	1.0mm	9 ½" or 24.1 cm
150-045-24150	150-044-24150	1.5mm	9 ½" or 24.1 cm
150-045-24200	150-044-24200	2.0mm	9 ½" or 24.1 cm



Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
150-055-14100	150-054-14100	1.0mm	5 ½" or 14 cm
150-055-14150	150-054-14150	1.5mm	5 ½" or 14 cm
150-055-17100	150-054-17100	1.0mm	6 ½" or 16.5 cm
150-055-17150	150-054-17150	1.5mm	6 ½" or 16.5 cm


Jansen Bayonet

With Cable		Without Cable	
Code	Code	Tip	Length
150-055-19150	150-054-19150	1.5mm	7 ½" or 19.1 cm
150-055-19200	150-054-19200	2.0mm	7 ½" or 19.1 cm
150-055-20150	150-054-20150	1.5mm	8" or 20.3 cm
150-055-20200	150-054-20200	2.0mm	8" or 20.3 cm
150-055-22150	150-054-22150	1.5mm	8 ½" or 21.6 cm
150-055-22200	150-054-22200	2.0mm	8 ½" or 21.6 cm



Jansen Bayonet, Angled-Up

With Cable		Without Cable	
Code	Code	Tip	Length
150-065-19150	150-064-19150	1.5mm	7 ½" or 19.1 cm
150-065-19200	150-064-19200	2.0mm	7 ½" or 19.1 cm
150-065-20150	150-064-20150	1.5mm	8" or 20.3 cm
150-065-20200	150-064-20200	2.0mm	8" or 20.3 cm
150-065-22150	150-064-22150	1.5mm	8 ½" or 21.6 cm
150-065-22200	150-064-22200	2.0mm	8 ½" or 21.6 cm





- Extensive range of cables compatible with all generators and instruments
- All produced with high grade silicone providing maximum electrical safety
- Corrosion resistance
- All cables are available in variety of shapes and lengths



Bipolar Cables

Plug - Generator	Length	Flat Plug (European)	2 Pin Plug (American)
2-Pin Banana	3m	200-004-3	190-004-3
	5m	200-004-5	190-004-5
Valleylab (2-Pin Moulded)	3m	200-014-3	190-014-3
	5m	200-014-5	190-014-5




Monopolar Cables

Plug - Generator	Length	Screw Type	Ø 4mm - Male Socket	Ø 4mm - Female Socket	Ø 4.8mm - Female Socket
Ø 4mm	3m	210-004-3	220-004-3	220-014-3	220-034-3
	5m	210-004-5	220-004-5	220-014-5	220-034-5
Ø 8mm	3m	210-014-3	220-054-3	220-024-3	220-044-3
	5m	210-014-5	220-054-5	220-024-5	220-044-5






- Option of hand control and foot control with 3-pin and single use pin switches
- Hand control pencils available with push buttons and rocker switch
- Integrated PVC cable – 3 meters and 5 meters
- Ergonomically designed handle providing maximum grip during use
- Available with blade or needle electrode
- Freedom from Autoclaving
- Available in NON stick for better surgical results



Handswitching Pencil

Standard	Non Stick			
Code	Code	Cable	Switch	Electrode
231-014-3	231-014-3NS	3m	3-Pin	Blade
231-014-5	231-014-5NS	5m	3-Pin	Blade
231-044-3	231-044-3NS	3m	Erbe	Blade
231-044-5	231-044-5NS	5m	Erbe	Blade
231-164-3	231-164-3NS	3m	3-Pin	Needle
231-164-5	231-164-5NS	5m	3-Pin	Needle
231-194-3	231-194-3NS	3m	Erbe	Needle
231-194-5	231-194-5NS	5m	Erbe	Needle



Handswitching Pencil with Holster

Standard	Non Stick			
Code	Code	Cable	Switch	Electrode
231-064-3	231-064-3NS	3m	3-Pin	Blade
231-064-5	231-064-5NS	5m	3-Pin	Blade
231-094-3	231-094-3NS	3m	Erbe	Blade
231-094-5	231-094-5NS	5m	Erbe	Blade
231-214-3	231-214-3NS	3m	3-Pin	Needle
231-214-5	231-214-5NS	5m	3-Pin	Needle
231-244-3	231-244-3NS	3m	Erbe	Needle
231-244-5	231-244-5NS	5m	Erbe	Needle



Handswitching Pencil with Holster & Tip Cleaner


Standard	Non Stick			
Code	Code	Cable	Switch	Electrode
231-114-3	231-114-3NS	3m	3-Pin	Blade
231-114-5	231-114-5NS	5m	3-Pin	Blade
231-144-3	231-144-3NS	3m	Erbe	Blade
231-144-5	231-144-5NS	5m	Erbe	Blade
231-264-3	231-264-3NS	3m	3-Pin	Needle
231-264-5	231-264-5NS	5m	3-Pin	Needle
231-294-3	231-294-3NS	3m	Erbe	Needle
231-294-5	231-294-5NS	5m	Erbe	Needle





Footswitching Pencil

Standard	Non Stick			
Code	Code	Cable	Switch	Electrode
240-004-3	240-004-3NS	3m	4mm	Blade
240-004-5	240-004-5NS	5m	4mm	Blade
240-014-3	240-014-3NS	3m	8mm	Blade
240-014-5	240-014-5NS	5m	8mm	Blade
240-064-3	240-064-3NS	3m	4mm	Needle
240-064-5	240-064-5NS	5m	4mm	Needle
240-074-3	240-074-3NS	3m	8mm	Needle
240-074-5	240-074-5NS	5m	8mm	Needle



Footswitching Pencil with Holster

Standard	Non Stick			
Code	Code	Cable	Switch	Electrode
240-024-3	240-024-3NS	3m	4mm	Blade
240-024-5	240-024-5NS	5m	4mm	Blade
240-034-3	240-034-3NS	3m	8mm	Blade
240-034-5	240-034-5NS	5m	8mm	Blade
240-084-3	240-084-3NS	3m	4mm	Needle
240-084-5	240-084-5NS	5m	4mm	Needle
240-094-3	240-094-3NS	3m	8mm	Needle
240-094-5	240-094-5NS	5m	8mm	Needle



Footswitching Pencil with Holster & Tip Cleaner

Standard	Non Stick			
Code	Code	Cable	Switch	Electrode
240-044-3	240-044-3NS	3m	4mm	Blade
240-044-5	240-044-5NS	5m	4mm	Blade
240-054-3	240-054-3NS	3m	8mm	Blade
240-054-5	240-054-5NS	5m	8mm	Blade
240-104-3	240-104-3NS	3m	4mm	Needle
240-104-5	240-104-5NS	5m	4mm	Needle
240-114-3	240-114-3NS	3m	8mm	Needle
240-114-5	240-114-5NS	5m	8mm	Needle

ELECTRODES

STANDARD
NON STICK



- Range offers right model for the correct surgical application.
- Variety of needle, Ball and Blade
- Available in range of sizes , lengths and angles
- Non stick range easier to focus the energy on the target tissues due to shielded tip.
- Better surgical results
- Less time consuming
- No build up of eschar on tips
- Easier tip cleaning

Ball Electrode

Standard		
Code	Length	Size
250-104-06024	5.5cm	3mm



Ball Electrode

Standard		
Code	Length	Size
250-104-11024	11cm	3mm



Ball Electrode

Standard		
Code	Length	Size
250-104-15024	15cm	3mm



Ball Electrode

Standard		
Code	Length	Size
250-144-06024	5.5cm	5mm



Ball Electrode

Standard		
Code	Length	Size
250-144-11024	11cm	5mm



Ball Electrode

Standard		
Code	Length	Size
250-144-15024	15cm	5mm



Blade Electrode



Standard	
Code	Length
250-004-07024	7cm

Blade Electrode



Standard	
Code	Length
250-004-10024	10cm

Blade Electrode



Standard	
Code	Length
250-004-13024	13cm

Blade Electrode



Standard	
Code	Length
250-004-15024	15cm

Blade Electrode



Standard	
Code	Length
250-004-17524	17.5cm

Blade Electrode



Standard	
Code	Length
250-004-20024	20cm



Needle Electrode, Straight

Standard	
Code	Length
250-044-07024	7cm



Needle Electrode, Straight

Standard	
Code	Length
250-044-10024	10cm



Needle Electrode, Straight

Standard	
Code	Length
250-044-13024	13cm



Needle Electrode, Straight

Standard	
Code	Length
250-044-15024	15cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-184-07024	7cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-184-10024	10cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-184-13024	13cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-184-15024	15cm



Needle Electrode, Curved

Standard	
Code	Length
250-054-07024	7cm



Needle Electrode, Curved

Standard	
Code	Length
250-054-10024	10cm



Needle Electrode, Curved

Standard	
Code	Length
250-054-13024	13cm



Needle Electrode, Curved

Standard	
Code	Length
250-054-15024	15cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-194-07024	7cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-194-10024	10cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-194-13024	13cm



Needle Electrode, 3mm active tip

Standard	
Code	Length
250-194-15024	15cm



Ball Electrode

Non Stick		
Code	Length	Size
250-104-06024NS	5.5cm	3mm



Ball Electrode

Non Stick		
Code	Length	Size
250-104-11024NS	11cm	3mm



Ball Electrode

Non Stick		
Code	Length	Size
250-104-15024NS	15cm	3mm



Ball Electrode

Non Stick		
Code	Length	Size
250-144-06024NS	5.5cm	5mm



Ball Electrode

Non Stick		
Code	Length	Size
250-144-11024NS	11cm	5mm



Ball Electrode

Non Stick		
Code	Length	Size
250-144-15024NS	15cm	5mm



Blade Electrode

Non Stick	
Code	Length
250-004-07024NS	7cm



Blade Electrode

Non Stick	
Code	Length
250-004-10024NS	10cm



Blade Electrode

Non Stick	
Code	Length
250-004-13024NS	13cm



Blade Electrode

Non Stick	
Code	Length
250-004-15024NS	15cm



Blade Electrode, Shielded tip

Non Stick	
Code	Length
250-204-07024NS	7cm



Blade Electrode, Shielded tip

Non Stick	
Code	Length
250-204-10024NS	10cm



Blade Electrode, Shielded tip

Non Stick	
Code	Length
250-204-13024NS	13cm



Blade Electrode, Shielded tip

Non Stick	
Code	Length
250-204-15024NS	15cm



Needle Electrode

Non Stick	
Code	Length
250-044-07024NS	7cm



Needle Electrode

Non Stick	
Code	Length
250-044-10024NS	10cm



Needle Electrode

Non Stick	
Code	Length
250-044-13024NS	13cm



Needle Electrode

Non Stick	
Code	Length
250-044-15024NS	15cm



Needle Electrode, Shielded tip

Non Stick	
Code	Length
250-184-07024NS	7cm



Needle Electrode, Shielded tip

Non Stick	
Code	Length
250-184-10024NS	10cm



Needle Electrode, Shielded tip

Non Stick	
Code	Length
250-184-13024NS	13cm



Needle Electrode, Shielded tip

Non Stick	
Code	Length
250-184-15024NS	15cm



- Made from Tungsten wire
- Flexible, durable and greater resistance against bending when in use
- Minimum eschar build up on the wire thus saving time
- Flexible loops that can be shaped to patient requirements
- Available in different size and colors



Square Loop

Code	Size
260-004-131004	10x4mm



Square Loop

Code	Size
260-004-131008	10x8mm



Loop Electrode

Code	Size
260-014-131005	10x5mm



Loop Electrode

Code	Size
260-014-131008	10x8mm



Loop Electrode

Code	Size
260-014-131010	10x10mm



Loop Electrode

Code	Size
260-024-131508	15x8mm



Loop Electrode

Code	Size
260-024-131515	15x15mm



Loop Electrode

Code	Size
260-034-132012	20x12mm



Loop Electrode

Code	Size
260-034-132015	20x15mm



Loop Electrode

Code	Size
260-034-132020	20x20mm



- Bipolar electrodes designed for ENT surgeries
- Slim design allows surgeon unobstructed view of the operation site
- Perfect coagulation every time due to fixed distance between electrodes tips
- Various sizes for children and adults
- Longer thicker needles allow better surgical results



Bipolar Electrodes

Straight	
Code	Size
I40-004-18	18cm
I40-004-20	20cm
I40-004-22	22cm
I40-004-28	28cm



Bipolar Electrodes

Angled	
Code	Size
I40-014-18	18cm
I40-014-20	20cm
I40-014-22	22cm
I40-014-28	28cm



Bipolar Electrodes

Angled 45°	
Code	Size
I40-024-18	18cm
I40-024-20	20cm
I40-024-22	22cm



Bipolar Electrodes

Angled 45°, Upward Tips	
Code	Size
I40-034-18	18cm
I40-034-20	20cm
I40-034-22	22cm



Bipolar Electrodes

Angled 90°	
Code	Size
I40-044-16	18cm
I40-044-18	20cm
I40-044-20	22cm



Bipolar Electrodes

Angled 90°, Upward Tips	
Code	Size
I40-054-16	18cm
I40-054-18	20cm
I40-054-20	22cm



- Single use Laparoscopic electrodes provide excellent dissection and coagulation for various surgical procedures
- Jaws can be easily rotatable with index finger
- Ergonomically designed handles allowing long and fatigue free use
- Choice of 2 handles
- Available in a variety of jaws
- Freedom from autoclaving
- These disposable electrodes have a fully insulated shaft thus preventing stray current and unwanted burns

L-Hook Electrode, Without Suction

With Cable		Without Cable	
Code	Code	Length	
280-005-36050	280-004-36050	36cm	
280-005-45050	280-004-45050	45cm	



J-Hook Electrode, Without Suction

With Cable		Without Cable	
Code	Code	Length	
280-015-36050	280-014-36050	36cm	
280-015-45050	280-014-45050	45cm	



Spatula Electrode, Without Suction

With Cable		Without Cable	
Code	Code	Length	
280-025-36050	280-024-36050	36cm	
280-025-45050	280-024-45050	45cm	



Ball Electrode, Without Suction

With Cable		Without Cable	
Code	Code	Length	
280-035-36050	280-034-36050	36cm	
280-035-45050	280-034-45050	45cm	



Needle Electrode, Without Suction

With Cable		Without Cable	
Code	Code	Length	
280-045-36050	280-044-36050	36cm	
280-045-45050	280-044-45050	45cm	



Cone Electrode, Without Suction

With Cable		Without Cable	
Code	Code	Length	
280-055-36050	280-054-36050	36cm	
280-055-45050	280-054-45050	45cm	



Knife Electrode, Without Suction

With Cable		Without Cable	
Code	Code	Length	
280-065-36050	280-064-36050	36cm	
280-065-45050	280-064-45050	45cm	



L-Hook Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-005-36050	290-004-36050	36cm
290-005-45050	290-004-45050	45cm



J-Hook Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-015-36050	290-014-36050	36cm
290-015-45050	290-014-45050	45cm



Spatula Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-025-45050	290-024-45050	36cm
290-035-36050	290-034-36050	45cm



Ball Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-035-36050	290-034-36050	36cm
290-035-45050	290-034-45050	45cm



Needle Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-045-36050	290-044-36050	36cm
290-045-45050	290-044-45050	45cm



Cone Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-055-36050	290-054-36050	36cm
290-055-45050	290-054-45050	45cm



Knife Electrode, With Suction

With Cable		Without Cable
Code	Code	Length
290-065-36050	290-064-36050	36cm
290-065-45050	290-064-45050	45cm





- Perfect solution for today's demand for Laparoscopic procedures
- 4 Tip configuration (J Shaped, L shaped, Needle and Spatula) for precise dissection, cutting and coagulation
- Non Stick Tips giving the best function to all surgical operations
- Choose between finger switching and foot switching

Handswitching

Standard	Non Stick				
Code	Code	Cable	Switch	Length	Tip
280-004-33050	280-004-33050NS	3m	3-Pin	33cm	L-Shaped
280-014-33050	280-014-33050NS	3m	3-Pin	33cm	J-Shaped
280-024-33050	280-024-33050NS	3m	3-Pin	33cm	Spatula
280-034-33050	280-034-33050NS	3m	3-Pin	33cm	Needle



Footswitching

Standard	Non Stick				
Code	Code	Cable	Switch	Length	Tip
280-044-33050	280-044-33050NS	3m	4mm	33cm	L-Shaped
280-054-33050	280-054-33050NS	3m	4mm	33cm	J-Shaped
280-064-33050	280-064-33050NS	3m	4mm	33cm	Spatula
280-074-33050	280-074-33050NS	3m	4mm	33cm	Needle






- Speculums help gynaecologists in conducting safe and precise electrosurgical procedures
- Provide the patient and the physician with highest level of performance and protection
- Smoke evacuation port that allows for complete removal of the smoke plume from the operating field

COLLIN

Code	Size
320-064-1	Small
320-064-2	Medium
320-064-3	Large



GRAVES

Code	Size
320-004-1	Small
320-004-2	Medium
320-004-3	Large



CUSCO

Code	Size
320-084-1	Small
320-084-2	Medium
320-084-3	Large



Pederson

Code	Size
320-044-1	Small
320-044-2	Medium
320-044-3	Large



GLORIOUS ENTERPRISES





GLORIOUS ENTERPRISES

P.O. Box: 63, Naverland 11,
DK-2600 Glostrup – Denmark
Tel: 0045 43 622693
Fax: 0045 43 622611
E-mail: glorious@mail.dk